



To order, or for more information, contact YSI Environmental. +1 937 767 7241 800 897 4151 (US) www.ysi.com

YSI Environmental +1 937 767 7241 Fax +1 937 767 9353 environmental@ysi.com

Endeco/YSI +1 508 748 0366 Fax +1 508 748 2543 systems@ysi.com

SonTek/YSI +1 858 546 8327 Fax +1 858 546 8150 inquiry@sontek.com

YSI Environmental Gulf Co +1 225 753 2650 Fax +1 225 753 8669 environmental@ysi.com

YSI Hydrodata (UK) +44 1462 673 581 Fax +44 1462 673 582 europe@ysi.com

YSI Middle East (Bahrain) +973 1753 6222 Fax +973 1753 6333 halsalem@ysi.com

YSI (Hong Kong) Limited +852 2891 8154 Fax +852 2834 0034 hongkong@ysi.com

YSI (Qingdao) Limited +86 532 575 3636 Fax +86 532 571 0101 ysiqd@ysiqd.com.cn

YSI Nanotech (Japan) +81 44 222 0009 Fax +81 44 221 1102 nanotech@ysi.com

ISO 9001 ISO 14001

Pure Data for a Healthy Planet and Who's Minding the Planet? are registered trademarks of YSI Incorporated.

©2006 YSI Incorporated Printed in USA 0107 W18-01



YSI incorporated Who's Minding the Planet?®

YSI 5905-W and 5010-W

Wine Bottle Oxygen Probes

Ensure minimal oxygen introduction during bottling

- Easily replaceable screw-on cap membranes
- 5010-W connects directly to the YSI 5000 and 5100 laboratory DO meters; 5905-W fits any older YSI lab/field DO meter
- Probe length: 6 inches
- Probe body tapered to fit into the neck of a wine bottle
- Self-stirring probe powered from the instrument—No stir bar needed!

YSI 5905-W and YSI 5010-W Probe Specifications

Accuracy	mg/L	±0.1 mg/L
	% air	±1% of reading
	temperature	±0.2° C
Range	mg/L	0-20 mg/L
	% air	0-200% of reading
	temperature	0 to +45° C
Resolution	mg/L	0.01
	% air	0.1%
	temperature	0.1° C
Response	Typical response at 20°C is 90% of the change within 30 seconds.	



YSI 5010-W and 5100 dissolved oxygen instrument shown measuring wine directly in the bottle.